

Grant All-Detail Report Multipurpose Drainage Management 2017

Grant Title - 2017 Red Lake County Multipurpose Drainage Management Grant

Grant ID - C17-3197

Organization - Red Lake SWCD

Original Awarded Amount	\$42,600.00	Grant Execution Date	2/7/2017
Required Match Amount	\$10,650.00	Original Grant End Date	12/31/2019
Required Match %	25%	Grant Day To Day Contact	Tanya Waldo
Current Awarded Amount	\$42,600.00	Current End Date	12/31/2020

Budget Summary

	Budgeted	Spent	Balance Remaining*
Total Grant Amount	\$42,600.00	\$37,031.04	\$5,568.96
Total Match Amount	\$10,650.00	\$12,195.65	\$-1,545.65
Total Other Funds	\$0.00	\$0.00	\$0.00
Total	\$53,250.00	\$49,226.69	\$4,023.31

^{*}Grant balance remaining is the difference between the Awarded Amount and the Spent Amount. Other values compare budgeted and spent amounts.

Budget Details

						Last	
	Activity					Transaction	Matching
Activity Name	Category	Source Type	Source Description	Budgeted	Spent	Date	Fund
2017 - MDM -	Administration	Current	2017 Red Lake County	\$3,000.00	\$3,338.11	12/31/2020	N
Administration/Coordination	/Coordination	State Grant	Multipurpose Drainage				
			Management Grant				
2017 - MDM -	Administration	Local Fund	Red Lake Watershed District,	\$750.00	\$750.00	12/31/2018	Υ
Administration/Coordination	/Coordination		Red Lake County, and Red Lake				
			County SWCD Contribution				

Report created on:2/3/21 Page 1 of 15

						Last	
	Activity					Transaction	Matching
Activity Name	Category	Source Type	Source Description	Budgeted	Spent	Date	Fund
2017 - MDM - Agricultural Practices	Agricultural	Current	2017 Red Lake County	\$36,000.00	\$31,636.95	6/11/2019	N
	Practices	State Grant	Multipurpose Drainage				
			Management Grant				
2017 - MDM - Agricultural Practices	Agricultural	Local Fund	Red Lake Watershed District,	\$9,000.00	\$10,545.65	6/11/2019	Υ
	Practices		Red Lake County, and Red Lake				
			County SWCD				
2017 - MDM - Technical/	Technical/Engi	Current	2017 Red Lake County	\$3,600.00	\$2,055.98	10/31/2019	N
Engineering Assistance	neering	State Grant	Multipurpose Drainage				
	Assistance		Management Grant				
2017 - MDM - Technical/	Technical/Engi	Local Fund	Red Lake Watershed District,	\$900.00	\$900.00	10/31/2019	Υ
Engineering Assistance	neering		Red Lake County, and Red Lake				
	Assistance		County SWCD				

Activity Details Summary

Activity Details	Total Action Count	Total Activity Mapped	Proposed Size / Unit	Actual Size / Unit
410 - Grade Stabilization Structure	190	19	1 COUNT	1 COUNT

Proposed Activity Indicators

Activity Name	Indicator Name	Value & Units	Waterbody	Calculation Tool	Comments
2017 - MDM -	SEDIMENT (TSS)	640 TONS/YR	Cyr Creek which	BWSR CALC (SHEET	
Agricultural Practices			outlets directly	AND RILL)	
			into Red Lake		
			River		

Final Indicators Summary

Indicator Name	Total Value	Unit
----------------	-------------	------

Report created on:2/3/21 Page 2 of 15

SEDIMENT (TSS)	310.00	TONS/YR

Grant Activity

Grant Activity - 2017 - MDM - Ac	Iministration/Coordination								
Description	The District Manager will be responsible for ensuring Compliance with the BWSR FY17 Clean Water Fund Policy and BWSR's Administration Manual.								
		Other administrative duties include: contractual requirements, time and expenditure tracking, financial responsibilities, reporting requirements, and meeting the grant expiration deadline.							
	Project administration includes developing a partnership with the Landowner, the Red River Valley Conservation Service Area Engineer, County Ditch Authority, and the SWCD Staff.								
	A formal contract will be entered into and signed by Red Lake County (Ditch Authority) to implement the project. Red Lake County (Ditch Authority) has authority over JCD 66 and is responsible for the maintenance of JCD 66.								
	If a practice is installed on the landowner's pro entered into and the landowner will be respon								
	Outside funding sources, other than ditch maintenance funds, are being pursued to meet the 25% local match requirement for the MDM grant.								
Category	ADMINISTRATION/COORDINATION								
Start Date	7-Feb-17	End Date	31-Dec-20						
Has Rates and Hours?	Yes								
Actual Results	The District Manager made sure compliance with the BWSR Clean Water Fund Policy and the BWSR's Grant Administration Manual was met. Contractual requirements, time and expenditure tracking, financial responsibilities, reporting requirements, and meeting the grant expiration deadline were all met.								

Report created on:2/3/21 Page **3** of **15**

Grant Activity - 2017 - MDM	- Agricultural Practices								
Description	Installation of twenty two Multipurpose Drainage Management (MDM) practices on JCD 66.								
	These MDM practices will include: Grade Stabilization Structures (410), Grassed Waterways (412), and Water & Sediment								
	Basins (638) with Subsurface Drain (606) as a complimentary practice for the 410 and 638 practices. All practices will be								
	installed according to the NRCS Field Office Technical Guide.								
	The twenty two proposed installed practices results in the following soil loss reduction number for Sediment (TSS) at 640								
	tons/yr., which will protect and preserve the resource value of soil on the land and reduce sediment loading to Cyr Creek								
	which outlets directly into the Red Lake River.								
Category	AGRICULTURAL PRACTICES								
Start Date	7-Feb-17 End Date								
Has Rates and Hours?	No No								
Actual Results	Partial installation of 19 Side Water Inlet Structures along JCD 66.								
	All 19 Side Water Inlet Structure pipes have been installed.								
	The remaining work that needs to be completed in the spring of 2019 is the rock riprap, seeding, multching, and fertilizing								
	around each Side Water Inlet Structure.								
	The final work on the 19 Side Water Inlet Structures was completed in May and June of 2019.								
	On 7/8/2019, the amended Grant Agreement was executed by BWSR; which requested a one year extension (12/31/2020) for this grant.								

Report created on: 2/3/21 Page 4 of 15

	Activity Action	Activity Action - 2017 - MDM - Agricultural Practices						
	Practice		410 - Grade Stabilization Structure	Count of	Activities		1	
	Description		Installed Side Water Inlet Structure w	nstalled Side Water Inlet Structure with 10' x 15' seeded area in front of inlet.				
	Proposed Size / Units Actual Size/Units		1.00 COUNT	Lifespan			15 Years	
			1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider				
Final Indicator for 2	2017 - MDM - A	gricultural	Practices					
Indicator Name SEDIMEN		SEDIMENT	T (TSS)		Value	15		
Indicator Subcategory/Units WATER P			OLLUTION (REDUCTION ESTIMATES) TONS/YR		Calculation Tool	RUSL	.E2 (UPDATED)	
Waterbody	JCD 66 - Cyr Creek							

	Activity Action - 2017 - MDM - Agricultural Practices							
	Practice Description Proposed Size / Units		410 - Grade Stabilization Structure	Count of	Activities		2	
			Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.				
			1.00 COUNT	Lifespan			15 Years	
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider				
Final Indicator for	2017 - MDM - A	gricultural	Practices					
Indicator Name SEDIMEN		SEDIMENT	「(TSS)		Value	15		
Indicator Subcategory/Units WATER PC			OLLUTION (REDUCTION ESTIMATES) TONS/YR		Calculation Tool	RUSLE2 (UPDATED)		
Waterbody	JCD 66 - Cyr Creek							

	Activity Action	- 2017 - M	DM - Agricultural Practices					
	Practice		410 - Grade Stabilization Structure	Count of Activities		3		
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.				
	Proposed Size / Units		1.00 COUNT	Lifespan		15 Years		
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technica	l Assistance Provider			
Final Indicator for 2	2017 - MDM - A	gricultural	Practices					
Indicator Name	ndicator Name SEDIMEN		(TSS)		Value	15		
Indicator Subcatego	ory/Units	WATER PO	POLLUTION (REDUCTION ESTIMATES) TONS/YR		Calculation Tool	RUSL	E2 (UPDATED)	

Report created on:2/3/21 Page **5** of **15**

Waterbody		JCD66 - C	yr Creek							
	Activity Action - 2017 - MDM - Agricultural Practices									
	Practice		410 - Grade Stabilization Structure	Count of Activities			4			
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.						
	Proposed Size	/ Units	1.00 COUNT	Lifespan			15 Years			
	Actual Size/U	nits	1.00 COUNT	.00 COUNT Installed Date		7-Dec-18				
	Mapped Activ	rities	1 Point(s)	Technica	al Assistance Provider					
Final Indicator for	[·] 2017 - MDM - A	gricultural	Practices							
Indicator Name	Indicator Name SEDIMENT (TSS) Value 15									
Indicator Subcate	Indicator Subcategory/Units WATER POLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)									
Waterbody		JCD66 - C	yr Creek							

	Activity Action	n - 2017 - IV	IDM - Agricultural Practices					
	Practice		410 - Grade Stabilization Structure	Count o	f Activities		5	
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.				
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years		
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider				
Final Indicator for	2017 - MDM - A	gricultural	Practices					
Indicator Name		SEDIMEN [*]	T (TSS)		Value	15		
Indicator Subcate	gory/Units	WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			LE2 (UPDATED)		
Waterbody	JCD 66 - Cyr Creek							

Report created on: 2/3/21 Page 6 of 15

	Activity Action	n - 2017 - M	DM - Agricultural Practices				
	Practice		410 - Grade Stabilization Structure	410 - Grade Stabilization Structure Count of Activities 6			
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.			
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years	
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18	
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider			
Final Indicator for 2	2017 - MDM - A	gricultural	Practices				
Indicator Name		SEDIMENT	「(TSS)		Value	15	
Indicator Subcateg	ory/Units	WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			.E2 (UPDATED)	
Waterbody	JCD 66 - Cyr Creek						

	Activity Action	n - 2017 - M	DM - Agricultural Practices					
	Practice		410 - Grade Stabilization Structure	Count of Activities		7		
	Description		Installed Side Water Inlet Structure.	istalled Side Water Inlet Structure.				
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years		
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider				
Final Indicator for	2017 - MDM - A	gricultural	Practices					
Indicator Name		SEDIMENT	「(TSS)		Value	15		
Indicator Subcateg	ory/Units	WATER PO	POLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			.E2 (UPDATED)		
Waterbody	JCD 66 - Cyr Creek							

	Activity Action	Activity Action - 2017 - MDM - Agricultural Practices								
	Practice		410 - Grade Stabilization Structure	Count of Activities		8				
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.						
	Proposed Size / Units		1.00 COUNT	Lifespan		15 Years				
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18				
	Mapped Activ	ities	1 Point(s)	Technica	l Assistance Provider					
Final Indicator for 2	2017 - MDM - A	gricultural I	Practices							
Indicator Name	dicator Name SEDIMEN		NT (TSS)		Value	15				
Indicator Subcatego	licator Subcategory/Units WATER P		POLLUTION (REDUCTION ESTIMATES) TONS/YR		Calculation Tool	RUSL	E2 (UPDATED)			

Report created on:2/3/21 Page **7** of **15**

Waterbody		JCD 66 - C	Cyr Creek							
	Activity Action - 2015 - MDM - Agricultural Practices									
	Practice 410 - Grade Stabilization Structure Count of Activities 9									
	Description Installed Side Water Inlet Structure.									
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years				
	Actual Size/U	nits	1.00 COUNT	1.00 COUNT Installed Date		7-Dec-18				
	Mapped Activ	ities	1 Point(s)	Technica	al Assistance Provider					
Final Indicator for	2015 - MDM - A	gricultural	Practices							
Indicator Name	Indicator Name SEDIMENT (TSS) Value 15									
Indicator Subcate	Indicator Subcategory/Units WATER POLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)									
Waterbody		JCD 66 - C	Cyr Creek							

	Activity Action	n - 2017 - N	IDM - Agricultural Practices					
	Practice		410 - Grade Stabilization Structure	re Count of Activities 10			10	
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.				
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years		
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18		
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider				
Final Indicator for	2017 - MDM - A	gricultural	Practices					
Indicator Name		SEDIMEN [*]	T (TSS)		Value	15		
Indicator Subcate	gory/Units	WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			LE2 (UPDATED)		
Waterbody	JCD 66 - Cyr Creek							

Report created on: 2/3/21 Page 8 of 15

	Activity Action	ı - 2017 - M	IDM - Agricultural Practices				
	Practice		410 - Grade Stabilization Structure	410 - Grade Stabilization Structure Count of Activities 11			
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.			
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years	
	Actual Size/Units		1.00 COUNT	Installed Date			7-Dec-18
	Mapped Activ	ities	1 Point(s)	Technica	l Assistance Provider		
Final Indicator for 2	2017 - MDM - A	gricultural	Practices				
Indicator Name		SEDIMENT	Γ (TSS)		Value	15	
Indicator Subcategory/Units WATER			OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			.E2 (UPDATED)	
Waterbody	dy JCD 66 - Cyr Creek						

	Activity Action	n - 2017 - M	DM - Agricultural Practices						
	Practice		410 - Grade Stabilization Structure	Count of Activities		12			
	Description		Installed Side Water Inlet Structure.	nstalled Side Water Inlet Structure.					
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years			
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18			
	Mapped Activ	ities	1 Point(s)	Technical Assistance Provider					
Final Indicator for 2	2017 - MDM - A	gricultural	Practices						
Indicator Name		SEDIMENT	「(TSS)		Value	30			
Indicator Subcategory/Units WATER I			OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)			.E2 (UPDATED)			
Waterbody	JCD 66 - Cyr Creek								

	Activity Action - 2017 - MDM - Agricultural Practices									
	Practice		410 - Grade Stabilization Structure	10 - Grade Stabilization Structure Count of Activities		13				
	Description		Installed Side Water Inlet Structure.	stalled Side Water Inlet Structure.						
	Proposed Size / Units		1.00 COUNT	Lifespan		15 Years				
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18				
	Mapped Activi	ities	1 Point(s)	Technica	l Assistance Provider					
Final Indicator for 2	2017 - MDM - A	gricultural	Practices							
Indicator Name	ndicator Name SEDIMEN		IT (TSS)		Value	15				
Indicator Subcatego	ory/Units	WATER PO	DLLUTION (REDUCTION ESTIMATES) TO	ONS/YR	Calculation Tool	RUSL	E2 (UPDATED)			

Report created on: 2/3/21 Page 9 of 15

Waterbody		JCD 66 - C	Cyr Creek								
	Activity Action - 2017 - MDM - Agricultural Practices										
	Practice		410 - Grade Stabilization Structure	Count of	f Activities		14				
	Description Installed Side Water Inlet Structure.										
	Proposed Size	/ Units	1.00 COUNT	Lifespan		15 Years					
	Actual Size/U	nits	1.00 COUNT	.00 COUNT Installed Date		7-Dec-18					
	Mapped Activ	ities	1 Point(s)	Technica	al Assistance Provider						
Final Indicator for	2017 - MDM - A	gricultural	Practices								
Indicator Name SEDIMENT (TSS) Value 20											
Indicator Subcate	gory/Units	WATER P	OLLUTION (REDUCTION ESTIMATES) TO	ONS/YR	Calculation Tool	RUSL	LE2 (UPDATED)				
Waterbody		JCD 66 - C	Cyr Creek								

	Activity Action - 2017 - MDM - Agricultural Practices						
	Practice		410 - Grade Stabilization Structure	Count of Activities		15	
	Description		Installed Side Water Inlet Structure.				
	Proposed Size / Units		1.00 COUNT	Lifespan		15 Years	
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18	
	Mapped Activities		1 Point(s)	Technical Assistance Provider			
Final Indicator for	2017 - MDM - A	gricultural	Practices				
Indicator Name SEDIMEN		IT (TSS)		Value	15		
Indicator Subcategory/Units WATER F		WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUSLE2 (UPDATED)		LE2 (UPDATED)		
Waterbody JCD 66 - Cyr Creek			yr Creek				

Report created on:2/3/21 Page 10 of 15

	Activity Action	n - 2017 - M	IDM - Agricultural Practices				
Practice		410 - Grade Stabilization Structure	Count of Activities		16		
	Description		Installed Side Water Inlet Structure.				
Proposed Size / Units		1.00 COUNT	Lifespan		15 Years		
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18	
	Mapped Activities		1 Point(s)	Technical Assistance Provider			
Final Indicator for 2	2017 - MDM - A	gricultural	Practices				
Indicator Name SEDIMEN		IT (TSS)		Value	15		
Indicator Subcategory/Units WATER Po		WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR		E2 (UPDATED)		
Waterbody JCD 66 - C		yr Creek					

	Activity Action - 2017 - MDM - Agricultural Practices						
	Practice		410 - Grade Stabilization Structure	Count of Activities		17	
	Description		Installed Side Water Inlet Structure.				
	Proposed Size / Units		1.00 COUNT	Lifespan	Lifespan		15 Years
	Actual Size/Units		1.00 COUNT	Installed Date		7-Dec-18	
	Mapped Activities		1 Point(s)	Technical Assistance Provider			
Final Indicator for 2017 - MDM - Agricultural Practices							
Indicator Name SEDIMEN		IT (TSS)		Value	15		
Indicator Subcategory/Units WATER P		WATER PO	OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RU		RUSL	USLE2 (UPDATED)	
Waterbody JCD66 - Cyr Creek							

	Activity Action - 2017 - MDM - Agricultural Practices						
Practice			410 - Grade Stabilization Structure	Count of Activities		18	
	Description Proposed Size / Units Actual Size/Units Mapped Activities		Installed Side Water Inlet Structure.				
			1.00 COUNT	Lifespan Installed Date		15 Years	
			1.00 COUNT			7-Dec-18	
			1 Point(s)	Technical Assistance Provider			
Final Indicator for 2	Final Indicator for 2017 - MDM - Agricultural Practices						
Indicator Name SEDIMEN		T (TSS) Value		15			
Indicator Subcatego	ndicator Subcategory/Units WATER PO		DLLUTION (REDUCTION ESTIMATES) TO	TONS/YR Calculation Tool RUSLE2 (UR		E2 (UPDATED)	

Report created on:2/3/21 Page 11 of 15

Waterbody	JCD 66 - Cyr Creek							
	Activity Action - 2017 - MDM - Agricultural Practices							
	Activity Action - 2017 - IVIDIVI - Agricultural Fractices							
	Practice		410 - Grade Stabilization Structure	Count of Activities			19	
	Description		Installed Side Water Inlet Structure.					
	Proposed Size / Units		1.00 COUNT	Lifespan			15 Years	
	Actual Size/Units		1.00 COUNT	Installed Date			7-Dec-18	
	Mapped Activities		1 Point(s)	Technical Assistance Provider				
Final Indicator for	Final Indicator for 2017 - MDM - Agricultural Practices							
Indicator Name SEDIMEN		T (TSS)	Value		20			
Indicator Subcateg	Indicator Subcategory/Units WATER PO		OLLUTION (REDUCTION ESTIMATES) TONS/YR Calculation Tool RUS		RUSL	USLE2 (UPDATED)		
Waterbody JCD 66 - 0		yr Creek						

Report created on:2/3/21 Page 12 of 15

Grant Activity - 2017 - MDM - Te	echnical/ Engineering Assistance						
Description	Technical and Engineering Assistance will be provided by the SWCD staff and the Red River Valley Conservation Service Area Engineer.						
	Practices must be planned and installed in accordance with technical standards and specifications of the NRCS Field Office Technical Guide.						
	The District Manager will be responsible for collaborative efforts with the landowners involved, Red River Valley Conservation Service Area (RRVCSA) Engineer, County Ditch Authority, and other SWCD Staff for on-site field visit.						
	SWCD Staff plan to complete some of the required survey work.						
	SWCD Staff will be responsible to schedule any survey work needed and review of project designs with the RRVCSA Engineer.						
	The District Manager will inform the Red Lake County Ditch Authority on the project's process (contract, review of preliminary and final designs, bidding process, reimbursement voucher, etc.).						
	The Red Lake County Ditch Authority and the landowner will be provided a copy of the preliminary design, the final design, Construction Specifications, O & M, reimbursement voucher, etc.						
Category	TECHNICAL/ENGINEERING ASSISTANCE						
Start Date	7-Feb-17 End Date						
Has Rates and Hours?	Yes						
Actual Results	Develop a partnership between the landowner, Red River Valley Conservation Service Area RRVCSA) Engineer and Technician, Red Lake County Ditch Authority, and the SWCD District staff.						
	Schedule with RRVCSA Technician for surveying each project site. Scheduled with Red Lake County Ditch Authority, Contractor, and SWCD Staff, a meeting to review preliminary and final designs.						
	The District Technician was responsible for contacting each landowner. The District Manager assisted the County through the project's process (contract, preliminary design and final design review, bidding process, reimbursement voucher, etc.).						

Report created on:2/3/21 Page 13 of 15

The Red River Valley Conservation Service Area Technician and the SWCD Technician surveyed and designed each project.

The SWCD Board was responsible for accepting/approving the project bid.

Jim Hest, RRVCSA Engineer assisted the contractors with construction. A Final Construction Inspection was completed by the RRVCSA Engineer.

The Practices were planned and installed in accordance with technical standards and specifications of the NRCS Field Office Technical Guide.

The Ditch Authority assisted the District Technician with identifying sites, survey and design work, contacting the landowner, and inspecting the construction that was completed to make sure it was county approved.

Red Lake County Ditch Authority was provided a copy of the preliminary design, the final design, Construction Specifications, O & M, reimbursement voucher, etc.

Grant Attachments

Document Name	Document Type	Description
2017 Competitive Grant	Grant Agreement	2017 Competitive Grant - Red Lake SWCD
2017 Competitive Grant Amendment EXECUTED	Grant Agreement	
	Amendment	
2017 Competitive Grant executed	Grant Agreement	2017 Competitive Grant - Red Lake SWCD
2017 Financial Report as of 10/31/2019	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
2017 MDM Final Financial Report	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
2017 MDM Financial Report	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
2017 MDM Financial Report	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/15/2019
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/26/2021
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 02/10/2020
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 11/06/2019

Report created on:2/3/21 Page 14 of 15

Document Name	Document Type	Description
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/23/2019
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 11/06/2017
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 02/09/2018
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/23/2019
Application	Workflow Generated	Workflow Generated - Application - 08/01/2016
Extension Request	Grant Agreement Amendment	
Funda Datuma ed to DM/CD Demont		2017 Ded Leke County Multinum and Duning a Management Creat
Funds Returned to BWSR Report	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
JCD 66 - Project Sites Map	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
Letter of Intent	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
MDM Practice Budget Worksheet	Grant	2017 Red Lake County Multipurpose Drainage Management Grant
Unexecuted Grant Amendment	Grant Agreement	
	Amendment	
Work Plan	Workflow Generated	Workflow Generated - Work Plan - 01/30/2017
Work Plan	Workflow Generated	Workflow Generated - Work Plan - 01/20/2017
Work Plan	Workflow Generated	Workflow Generated - Work Plan - 01/17/2017
Work Plan	Workflow Generated	Workflow Generated - Work Plan - 12/14/2016
Work Plan	Workflow Generated	Workflow Generated - Work Plan - 01/23/2017
grantmap_16728_2016-07-26_10-17-38-AM.jpg	Grant	2017 Red Lake County Multipurpose Drainage Management Grant

Report created on:2/3/21 Page 15 of 15